

KEY

- BS 5837:2012 Tree Category
- | | | | |
|---|---|---|---|
| A | B | C | U |
|---|---|---|---|
- TAG** Tree / Group Reference (by category)
- Individual tree (by category)
- Tree group/hedge (by category)
- Root protection area - RPA (BS5837)
- RPA Modified due to site conditions

TREE PROTECTION PLAN - DETAILS

Tree / Hedge Removal

- Trees to be removed
- Area of trees / hedge to be removed

Protected Areas & Tree Protective Barrier/s

- Tree protective fence / barrier (See Detail 1)
- Tree protective fence / barrier (See Detail 4)
- Construction Exclusion Zone - CEZ

All operations inside of Tree Protective Fencing are to be supervised by an appointed Arboriculturist.

Arboricultural Method Statement/s

All AMS areas are to be worked in strict accordance to detailed arboricultural method statements.

- Special protection area - AMS- Temporary Ground Protection
- Special protection area - AMS- Radial & Vertical mulching - Soil amelioration works area
- Special protection area - AMS- Works within this area to be covered by a detailed AMS

AMS: a detailed Arboricultural Method Statement to be agreed with the LPA prior to commencement of development

Documents/plans supplied by client for use in this drawing:

Topographical Survey:

- Southwest Land Surveys 1539 Layout:
- 230301 L 00 00 F Illustrative layout

Accompanying documents which must be read in conjunction with this drawing:

- 05141 Tree Survey 19.5.23
- 05141 AIA 4.7.24

Notes

- All dimensions are in metres, unless otherwise stated.
- The original of this drawing was produced in colour, a monochrome version should therefore not be relied upon.

Client:	Land Value Alliances Ltd		
Project:	Tidcombe Hall, Tiverton, Devon.		
Title:	Tree Removal & Retention Plan		
Date:	4.7.24	Sheet:	3 of 3
Scale:	1:500 @ A1	Drawn:	JG
		Checked:	DS
Dwg Ref:	05141. TRRP Rev C. 4.7.2024		




Aspect Tree Consultancy Ltd.
Unit F, Kach Business Park
Pottery Road
Bovey Tracey TQ13 9TZ

Tel: 01364 644822
www.fresh-aspect.com




TREE PROTECTION AREA - KEEP OUT!
TREES ENCLOSED BY THIS FENCE ARE PROTECTED. PLANNING CONSENT HAS BEEN GRANTED FOR A TEMPORARY PROTECTION FENCE. CONTRAVENTION OF A TREE PRESERVATION ORDER MAY LEAD TO CRIMINAL PROSECUTION. INCLUSION INTO THE PROTECTED AREA MUST BE WITH THE WRITTEN PERMISSION OF THE LOCAL PLANNING AUTHORITY.

DETAIL 1:
Specification For Protective Barrier (Default - BS 5837)
Subject to ground conditions and site specific health and safety assessment



- Key
- Standard scaffold poles
 - Heavy gauge 2m galvanized tube and welded mesh (100 panels)
 - Planks secured to uprights and cross-members with wire ties
 - Ground level
 - Uprights driven into the ground until secure (minimum depth 0.6m)
 - Standard scaffold clamps

DETAIL 4:
Specification For Protective Barrier



Stabilizer strut with base plate secured with ground pins