



KEY

BS 5837:2012 Tree Category



- TAG** Tree / Group Reference (by category)
- Individual tree (by category)
- Tree group/hedge (by category)
- Root protection area - RPA (BS5837)
- RPA Modified due to site conditions

TREE PROTECTION PLAN - DETAILS

Tree / Hedge Removal

- Trees to be removed
- Area of trees to be removed

Protected Areas & Tree Protective Barrier/s

- Tree protective fence / barrier (See Detail 1)
- Tree protective fence / barrier (See Detail 4)
- Construction Exclusion Zone - CEZ

All operations inside of Tree Protective Fencing are to be supervised by an appointed Arboriculturist.

Arboricultural Method Statement/s

All AMS areas are to be worked in strict accordance to detailed arboricultural method statements.

- Special protection area - AMS- Temporary Ground Protection
- Restricted Activity Area - AMS- Informal paths. Details to be agreed.

AMS: a detailed Arboricultural Method Statement to be agreed with the LPA prior to commencement of development

Documents/plans supplied by client for use in this drawing:

Topographical Survey:

- Southwest Land Surveys 1539 Layout:
- 230301 L 02 02 E Illustrative layout

Accompanying documents which must be read in conjunction with this drawing:

- 05141 Tree Survey Rev A 19.5.23
- 05141 AIA 01.11.23

Notes

- All dimensions are in metres, unless otherwise stated.
- The original of this drawing was produced in colour, a monochrome version should therefore not be relied upon.

Client: Grass Roots Planning

Project: Tidcombe Hall, Tiverton, Devon.

Title: Tree Removal & Retention Plan

Date: 29.11.23

Sheet: 8 of 8

Scale: 1:250 @ A1

Drawn: JG

Checked: DS

Dwg Ref: 05141.TRRP 29.11.23

ASPECT
TREE CONSULTANCY

Aspect Tree Consultancy Ltd.
Unit F, Kach Business Park
Pottery Road
Bovey Tracey TQ13 9TZ


Tel: 01364 644822
www.fresh-aspect.com



TREE PROTECTION AREA - KEEP OUT!

(TOWN & COUNTRY PLANNING ACT 1990)
TREES INCLUDED BY THIS FENCE ARE PROTECTED.
PLANNING CONSENT AND/OR A TREE PRESERVATION ORDER
CONTRAVENTION OF A TREE PRESERVATION ORDER
MAY LEAD TO CRIMINAL PROSECUTION.


DISCUSSION INTO THE PROTECTED AREA MUST BE WITH
THE WRITTEN PERMISSION OF THE LOCAL PLANNING
AUTHORITY.



DETAIL 1:
Specification For Protective Barrier (Default - BS 5837)
Subject to ground conditions and site specific health and safety assessment.

Key:

- Standard scaffold poles
- Heavy gauge 2m tall galvanized tube and welded mesh with panels
- Panel secured to uprights and cross-members with wire ties
- Ground level
- Uprights driven into the ground until secure (minimum depth 0.6m)
- Standard scaffold clamps



DETAIL 4:
Specification For Protective Barrier

Stabilizer strut with base plate secured with ground pins